

Message

From: Benton, Tim [Tim.Benton@WestonSolutions.com]
Sent: 8/21/2019 6:06:47 PM
To: Gaughan, Daniel [Gaughan.Daniel@epa.gov]
CC: Pane, Mark [Pane.Mark@epa.gov]; Tabayoyong, Michelle [Tabayoyong.Michelle@epa.gov]; Oldland, Colin [Oldland.Colin@epa.gov]; Hriczko, Bonnie [Hriczko.Bonnie@epa.gov]; Eng, Helen [eng.helen@epa.gov]; Bernard Nwosu [Ben.Nwosu@WestonSolutions.com]; Grunstra, William [Bill.Grunstra@WestonSolutions.com]
Subject: Request for Subcontracted Services - Canadian Radium and Uranium Site
Attachments: Procurement_Canadian Radium and Uranium_Drilling Subcontract.pdf

Dan,
In accordance with the scope of work for the Canadian Radium and Uranium Site under TD No. 68HE0219F0032/0030, Weston is requesting your concurrence for a TD to provide private utility mark-out and Geoprobe® services as part of the subsurface soil investigation of the Site. The requested scope of work includes the advancement of up to 10 soil borings to a maximum depth of 8 feet bgs at locations throughout the investigation area (**please see the attached subcontract package**). The subcontracted services include personnel certified to perform hazardous waste work in accordance with OSHA 1910.120, required PPE, and private utility mark-out/Geoprobe equipment. **If you agree with this request, please email Michelle Tabayoyong, Mark Oldland, Bonnie Hriczko, and myself so a TD in the amount of \$6,500.00 can be issued.** If you have any questions or comments please let me know.

Thanks,

Timothy Benton, CHMM
START V Program Manager
Weston Solutions, Inc.
1090 King George Post Road
Suite 201
Edison, New Jersey 08837
Office Phone: (732) 585-4425
Cell Phone: (908) 565-2973

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.